



General Hardware



ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

Contents

Mortice Locks	2
Flush Bolts	4
Barrel Bolts	5
Flush Pulls	6
Door Accessories	7
Toilet Partition Fittings	9
Hooks	10
Garage Door Lock	12
800 Series Surface Mounted Toilet Bolt	14
810 Series Surface Mounted Toilet Bolt	15
350 Door Stop	16
600 Six Lever Cupboard Locks	17
692 Pin Tumbler Cupboard Lock	18
693 Pin Tumbler Cupboard Lock	19



The Lockwood range of General Door Hardware is suitable for most door applications. The range includes mortice locks, bolts, pulls, door accessories, hooks, toilet partition fittings and garage door locks.

General Hardware

Mortice Locks


L1700 Narrow Rebated Mortice Lock

Features & Specifications:

- 30mm backset. 12 mm rebate
- Zinc machine cast case, follower, faceplate, strike and deadbolt
- Reversible brass latch bolt –6 key changes
- Display packed with fixing screws and two bit keys

Key Blanks

L1700-1-V14BBZ to L1700-6-V14BBZ



Product	Backset	Finishes	Packaging	Part No
L1700	30mm	Bright Chrome	Display pack	L1700CPDP
		Polished Brass Plate	Display pack	L1700PBPD
		Satin Chrome	Display pack	L1700SCDP


L1701 Narrow Mortice Lock

Features & Specifications:

- 30mm backset
- Zinc machine cast case, follower, faceplate and deadbolt
- Stainless steel strike
- Reversible brass latch bolt – 6 key changes
- Display packed with fixing screws and two bit keys

Key Blanks

L1700-1-V14BBZ to L1700-6-V14BBZ.



Product	Backset	Finishes	Packaging	Part No
L1701	30mm	Bright Chrome	Display pack	L1701CPDP
		Polished Brass Plate	Display pack	L1701PBPD
		Satin Chrome	Display pack	L1701SCDP

Mortice Locks


L1702 Rebated Mortice Lock

Features & Specifications:

- 41mm backset, 12mm rebate
- Zinc machine cast case, follower, faceplate, strike and deadbolt
- Reversible brass latch bolt – 6 key changes
- Display packed with fixing screws and two bit keys

Key Blanks

L1700-1-V14BBZ to L1700-6-V14BBZ



Product	Backset	Finishes	Packaging	Part No
L1702	42mm	Bright Chrome	Display pack	L1702CPDP
		Polished Brass Plate	Display pack	L1702PBPD
		Satin Chrome	Display pack	L1702SCDP



Domestic Door Furniture

A range of door furniture for use with mortice locks and tubular latches, having a 7.5mm square spindle and a minimum backset of 30mm. Available in the L392 Series Lock Furniture and L393 Series Latch Furniture.

Features & Specifications:

- Spring loaded lever handles
- Zinc alloy cast lever handles and plates
- Display packed with fixing screws and spindle

Product	Function	Finishes	Packaging	Part No
L393	Latch	Chrome	Display pack	L393CPDP
		Satin Chrome	Display pack	L393SCDP



General Hardware

Flush Bolts

Application

Designed for timber doors.

Features & Specifications

L842

Designed for use on small timber doors and cupboards, the L842 is a flush mounted bolt incorporating a slide action to throw or withdraw the bolt. Available in 100mm length.

L841 & L840

The L841 and L840 are flush mounted bolts incorporating a toggle action to throw or withdraw the bolt. Available in 150 or 200mm lengths, dimension A (nominal length).

843

The 843 employs the L840 body with bolt extending to 600mm overall, using a 6.5mm diameter steel threaded rod, brass tip and lock nuts.

Materials

Zinc alloy casting.


Packaging

L840, L841 and L842 are individually display packed, complete with fixing screws.
843 supplied in trade pack.

Bolt Throw

L841, L840, 843 Toggle Action. L842 Slide Action

Product	Bolt Throw	Length	Finishes	Packaging	Part No
L842	Slide Action	100mm	Bright Chrome	Display pack	L842CPDP
			Polished Brass	Display pack	L842PBDP
			Satin Chrome	Display pack	L842SCDP
Product	Bolt Throw	Length	Finishes	Packaging	Part No
L841	Toggle Action	150mm	Bright Chrome	Display pack	L841CPDP
			Polished Brass	Display pack	L841PBDP
			Satin Chrome	Display pack	L841SCDP
L840	Toggle Action	200mm	Bright Chrome	Display pack	L840CPDP
			Polished Brass	Display pack	L840PBDP
			Satin Chrome	Display pack	L840SCDP
843	Toggle Action	600mm	Polished Brass	Display pack	843X600 PB
			Satin Chrome	Display pack	843X600 SCP






Barrel Bolts

Features & Specifications:

- Brass barrel bolts
- Available in three lengths: 100, 150 and 200mm
- Visible fixing
- Individually display packed, complete with fixing screws



Product	Length	Finishes	Packaging	Part No
L333	100mm	Satin Chrome	Display pack	L333 – 100SCDP
	150mm	Satin Chrome	Display pack	L333 – 150SCDP
	200mm	Satin Chrome	Display pack	L333 – 200SCDP



General Hardware


Flush Pulls

Features & Specifications:


- Zinc alloy cast flush pulls
- Available in a range of three sizes and three finishes
- Display packed, complete with fixing screws




Product	Dimenssions	Finishes	Packaging	Part No
L609	85 x 30 mm	Chrome	Display pack	L609CPDP
		Polished Brass Plate	Display pack	L609PBPD
		Satin Chrome	Display pack	L609SCDP



Product	Dimenssions	Finishes	Packaging	Part No
L611	115 x 35 mm	Chrome	Display pack	L611CPDP
		Polished Brass Plate	Display pack	L611PBPD
		Satin Chrome	Display pack	L611SCDP



Product	Dimenssions	Finishes	Packaging	Part No
L610	145 x 40 mm	Chrome	Display pack	L610CPDP
		Polished Brass Plate	Display pack	L610PBPD
		Satin Chrome	Display pack	L610SCDP



140 Door Chain Lock – Key Operated

Provides the security of a door chain plus the convenience of entry from outside by key.

Features & Specifications

Housing & Slide

Diecast zinc.

Chain


Hardened steel.

Mechanism

5 disc tumbler.

Keying

Individually keyed.



Product	Finishes	Packaging	Part No
140	Bright Chrome	Display pack	140CPDP
	Polished Brass	Display pack	140PBDP

150 Door - Chain and Bolt

A strong, secure combination of door chain and bolt.

Features & Specifications

Housing and Strike

Diecast zinc.

Chain

Hardened steel.

Bolt

Hardened steel.



Product	Finishes	Packaging	Part No
150	Bright Chrome	Display pack	150CPDP
	Polished Brass	Display pack	150PBDP

General Hardware

Security Door View – Glass Lens

The 160 Security door viewer has a glass lens and has been tested to 4 hours on fire door assemblies in accordance with Australian Standard AS 1905.1: Fire Resistant Doorsets.



FIRE RATED

Optical glass lens gives a clear 160° angle view.



Features & Specifications

Body

Brass.

Door Thickness

32 to 51mm.

Product	Finishes	Packaging	Part No
160	Bright Chrome	Display pack	160CPDP
	Polished Brass	Display pack	160PBDP

Handles

Cast Brass Handle

- Cast brass handle, visible fixing
- Display packed, complete with fixing screws

Product	Length	Finishes	Packaging	Part No
L9-150	150 mm	Chrome	Display pack	L9-150CPDP
		Satin Chrome	Display pack	L9-150SCDP

Extruded Brass Handle

- Extruded brass handles, concealed fixing
- Display packed, complete with fixing screws

Product	Finishes	Packaging	Part No
L70	Satin Chrome	Display pack	L70SCDP



Toilet Partition Fittings

Surface-Mounted Toilet Bolts

Easy to install, surface-mounted toilet bolts with indicator to denote whether room is occupied or vacant. Available with slotted button or with safety release turn.

Materials

Zinc alloy castings, display packed with fixing screws.



Surface-mounted bolt and indicator

Product	Feature	Finishes	Packaging	Part No
L547-548	Slotted button	Chrome	Display pack	L547-548CPDP
	Slotted button	Satin Chrome	Display pack	L547-548SCDP



Surface-mounted bolt and indicator with safety release

Product	Feature	Finishes	Packaging	Part No
L547-549	Safety release turn	Chrome	Display pack	L547-549CPDP
	Safety release turn	Satin Chrome	Display pack	L547-549SCDP



Handrail Bracket

Zinc alloy casting, visible three screw fixing to wall. Display packed, complete with fixing screws.

Product	Finishes	Packaging	Part No
L832	Chrome	Display pack	L832CPDP
	Polished Brass Plate	Display pack	L832PBPD
	Satin Chrome	Display pack	L832SCDP



General Hardware

Hooks

Cabin Hook

Cast brass hook and eye, available in three lengths.

Available Finishes

Individually display packed, complete with fixing screws.



Product	Length	Finishes	Packaging	Part No
L829	75 mm	Mid Chrome Plate	Display pack	L829-75MCPDP
	100 mm	Mid Chrome Plate	Display pack	L829-100MCPDP
	150 mm	Mid Chrome Plate	Display pack	L829-150MCPDP

L45 Hat & Coat Hook

Zinc alloy castings, individually display packed, complete with fixing screws.

Product	Finishes	Packaging	Part No
L45	Chrome	Display pack	L45CPDP
	Satin Chrome	Display pack	L45SCDP



L432 Door Bumper & Hook

Zinc alloy castings with nylon cushion tip. Individually display packed, complete with fixing screws.

Product	Finishes	Packaging	Part No
L432	Chrome	Display pack	L432CPDP
	Satin Chrome	Display pack	L432SCDP



Hooks

L1310 Combined Hat & Coat Hook

Zinc alloy castings, individually display packed, complete with fixing screws.

Product	Finishes	Packaging	Part No
L1310	Chrome	Display pack	L1310CPDP
	Satin Chrome	Display pack	L1310SCDP



L1320 Combined Hat & Coat Hook

Zinc alloy castings, individually display packed, complete with fixing screws.

Product	Finishes	Packaging	Part No
L1320	Chrome	Display pack	L1320CPDP
	Satin Chrome	Display pack	L1320SCDP



L94 Robe Hook

Zinc alloy castings, individually display packed, complete with fixing screws.

Product	Finishes	Packaging	Part No
L94	Chrome	Display pack	L94CPDP
	Satin Chrome	Display pack	L94SCDP



L825 Robe Hook

Brass casting, individually display packed, complete with fixing screws.

Product	Finishes	Packaging	Part No
L825	Chrome	Display pack	L825CPDP
	Satin Chrome	Display pack	L825SCDP



General Hardware

Garage Door Lock

8474 5 Pin Tumbler Mechanism:

- Garage door lock featuring lever action;
- Supplied with polythene washer to fit between rose and door surface.

Features & Specifications

Lever Handle & Rose

High purity zinc alloy.

Spindle

8 mm square steel, 108 mm projection from face of rose.

Cylinder

5 pin tumbler mechanism. Brass cylinder and brass barrel.

Keying

Standard Keying:

- Supplied individually keyed with two keys per lock;
- 78,000 key combinations;
- Key blank KB2015P.

Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.



Product	Finishes	Packaging	Part No
8474	Bright Chrome	Trade pack	8474



General Hardware

800 Series Surface Mounted Toilet Bolt

Features & Specifications

These surface mounted bolts feature easy installation, concealed screw fixing and positive red and green indicators to denote if the room is occupied or vacant.

Materials

- Brass bolt and indicator trim
- High purity zinc alloy case, strike rose and knob
- Mild steel mounting plate

Door Thickness

28 to 52 mm

Finishes

Satin Chrome SC

Non Standard Finishes

Polished Brass PB

Chrome Plate CP






Part Numbers

Toilet bolt without indicator 800 SCP

Toilet bolt with indicator (emergency release) 801 SCP




Toilet bolt with indicator (hospital release) 802 SCP



Toilet bolt without indicator

Toilet bolt with indicator (emergency release)

Toilet bolt with indicator (hospital release)



810 Series Mortice Mounted Toilet Bolt

Features & Specifications

These tubular bolts feature easy installation, concealed screw fixing with positive red and green indicators to denote if the room is occupied or vacant.

Materials

- Brass indicator trim
- Stainless steel strike
- High purity Zinc alloy roses, knob, bolt and case

Door Thickness

28 to 52 mm

Standard Finish

Satin Chrome SC

Non Standard Finish



Polished Brass PB
Chrome Plate CP

Part Numbers

Toilet bolt without indicator 810 SCP

Toilet bolt with indicator (emergency release) 811 SCP

Toilet bolt with indicator (hospital release) 812 SCP



Toilet Partition Fittings

Surface-Mounted Toilet Bolts

Easy to install, surface-mounted toilet bolts with indicator to denote whether room is occupied or vacant. Available with slotted button or with safety release turn.

Materials

Zinc alloy castings, display packed with fixing screws

Ordering Procedure

Surface-mounted bolt and indicator

Product	Feature	Finishes	Packaging	Part No
L547-548	Slotted button	Chrome	Display pack	L547-548CPDP
	Slotted button	Satin Chrome	Display pack	L547-548SCDP

Surface-mounted bolt and indicator with safety release

Product	Feature	Finishes	Packaging	Part No
L547-549	Safety release turn	Chrome	Display pack	L547-549CPDP
	Safety release turn	Satin Chrome	Display pack	L547-549SCDP




General Hardware

350 Door Stop

Description

Designed to be wall mounted, the door stop prevents doors and handles damaging walls and fixtures. Model 350 features concealed fixing (behind the rubber buffer).



Features & Specifications

Dimensions

75 mm projection, 35 mm diameter.


Standard Finishes

Satin Chrome A350SC
Chrome Plate A350CP
Polished Brass A350PB

250 Door Stop

Description

The 250 is a floor mounted door stop of quality design, finish and appearance. The resilient rubber buffer provides excellent protection for door finishes.



Features & Specifications

Dimensions

50 mm high with a triangular base 50 mm wide and 60 mm deep.


Standard Finishes

Satin Chrome A250SC
Chrome Plate A250CP
Polished Brass A250PB

857 Door Stop

Description

A coil spring and ball ensure the arm indexes at "out of way" position. Designed for use as a bottom rail door stop.



857 door stop

Features & Specifications

Materials

Body and arm – cast brass
Buffer – rubber

Standard Finishes

Satin Chrome 857SC



600 Six Lever Cupboard Locks

Features & Specifications

- A series of key-operated six lever cupboard locks
- Also suitable for drawers

Housing

Bright zinc plated pressed steel

Case

High purity zinc alloy

Bolt

Brass 6.5 mm projection

Mechanism

Six brass levers

Keying

Standard Keying

- Supplied individually keyed with two keys per lock
- Key blank KB600-14 for lock 600-S14
- Key blank KB600-78 for locks 600-S78 and 600-S114


Special Keying

Can be keyed alike or master keyed with other 600 series cupboard locks.

6.5mm projection for steel or hardboard

Description	Part Number
Random keyed, 2 keys per lock	600-S14REG
Random keyed alike, 1 key per lock	600-S14RKA
Master keyed, 2 master keys per group & 2 keys per lock	600-S14MK*

*Specify master key group number




600-S14

22mm projection for 22mm thick timber

Description	Part Number
Random keyed, 2 keys per lock	600-S78REG
Random keyed alike, 1 key per lock	600-S78RKA
Master keyed, 2 master keys per group & 2 keys per lock	600-S78MK*
Random keyed, 2 keys per lock display pack	600-S78REGDP

*Specify master key group number




600-S78

32mm projection for 32mm thick timber

Description	Part Number
Random keyed, 2 keys per lock	600-S114REG
Random keyed alike, 1 key per lock	600-S114RKA
Master keyed, 2 master keys per group & 2 keys per lock	600-S114MK*

*Specify master key group number



600-S114

General Hardware

692 Pin Tumbler Cupboard Lock

Features & Specifications

- Quality key-operated 4 pin tumbler cupboard lock
- Manufactured primarily from diecast zinc and brass components
- Cylinder can be readily positioned to suit either drawer or cupboard installation
- Selectable latch-bolt or deadbolt function

Bolt

Zinc, 10 mm projection

Cylinder

4 pin tumbler mechanism

Brass cylinder and brass barrel – 22 mm diameter, 23 mm projection

Keying

Standard Keying


- Supplied individually keyed with two keys per lock
- 2100 key combinations
- Key blank KB232

Special Keying

Can be keyed alike. To order add KA to part number

4 Pin Straight

Part Numbers	STD Functions	Non Standard Function
Bright Chrome	692ACP	692BCP
Satin Chrome	692ASC	692BSC
Polished Brass	692APB	692BPB



1300 LOCK UP (1300 562 587)
lockweb.com.au

693 Pin Tumbler Cupboard Lock

Features & Specifications

- Quality key-operated 5 pin tumbler cupboard lock
- Manufactured primarily from diecast zinc and brass components
- Cylinder can be readily positioned to suit either drawer or cupboard installation

Bolt

Zinc, 10 mm projection

Cylinder

5 pin tumbler mechanism

Brass cylinder and brass barrel – 27mm diameter, 26.5 mm projection

Keying

Standard Keying



- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems. To order, add keying code to part number.

5 Pin Straight

Part Numbers	STD Functions	Non Standard Function
Bright Chrome	693ACP	693BCP
Satin Chrome	693ASC	693BSC
Polished Brass	693APB	693BPB



ASSA ABLOY



Specification Service

For all Architectural hardware specification assistance refer to your local ASSA ABLOY Sales Office.

A fully comprehensive, obligation free, Architectural Door Hardware specification can be prepared by Architectural Hardware Representatives.

Quality Endorsed Company

SAI Global operates a program which assesses the quality procedures and capabilities of an organisation in terms of the requirements of specific Australian and International Standards for Quality Systems. Following assessment by



SAI Global,

ASSA ABLOY Australia Pty Limited,
235 Huntingdale Rd, Oakleigh VIC
3166

have been granted a certificate of registration as a quality endorsed company complying with the requirements of AS 3902/ISO 9001 – Quality Systems for Production and Installation.

Disclaimer

Whilst every effort has been made to ensure that the information contained in this catalogue is accurate at the time of publication, ASSA ABLOY recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the catalogue or arising from the use or application of the information contained herein. This catalogue does not constitute an offer for the sale of any particular product.

Lockwood Guarantee and Care & Maintenance

Please go to lockweb.com.au for details on Lockwood Guarantee and product care & maintenance.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.



ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

As the world's leading lock group, ASSA ABLOY offers a more complete product range of door opening solutions than any other company in the market.

Australia
1300 LOCK UP (1300 562 587)
lockweb.com.au

New Zealand
Telephone +64 9415 7111
assaabloy.co.nz

ASSA ABLOY Australia Pty Limited
235 Huntingdale Road,
Oakleigh Victoria, 3166
Australia

info.au@assaabloy.com
assaabloy.com.au

ASSA ABLOY New Zealand Ltd.
6 Armstrong Road
Albany, North Shore City, 0632
New Zealand

info.nz@assaabloy.com
assaabloy.co.nz

