


Standard 570 cylinder

This cylinder is used on Lockwood Cylinder Mortice Locks, both Pentagon and Synergy series.


The Pentagon series uses the one universal cam (U) for all functions.

The Synergy series uses various cylinder cams depending on the function required.

Cylinder is assembled as a 5 pin tumbler mechanism but is 6 pin tumbler capable. Uses a standard 570 barrel.



Synergy Series




Standard "C4" Assembled Cylinder Part Numbers


570/101SC	Mortice Cylinder with "U" cam
570-2SC	Mortice Cylinder with "X" cam
571-2SC	Mortice Cylinder with "Y" cam
572-2SC	Mortice Cylinder with "Z" cam
575-2SC	Mortice Cylinder with "W" cam
575-52SC	Mortice Cylinder with "M" cam
570-302LHSC	Mortice Cylinder with "XA" cam Left Hand
570-302RHSC	Mortice Cylinder with "XA" cam Right Hand
SP3540-2SC	Mortice Cylinder with "Rabbit Ear" cam

Cylinders

Australian Oval Mortice Cylinders



570/101SC		Standard 570 cylinder - "U" cam	
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B570-11SC	BARREL "C4" PROFILE	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	SP570-113	TOP PINS	5
5	SP201-336SS	TOP PIN SPRING	5
6	SP3P70-018	"U" CAM	1
7	SPWS801-1-2-2A	CAM SCREWS	2
8	REFERENCE ONLY	KEY ASSEMBLY PAIR	1



BOTTOM PIN	
SP201-20	#0
SP201-21	#1
SP201-22	#2
SP201-23	#3
SP201-24	#4
SP201-25	#5
SP201-26	#6
SP201-27	#7
SP201-28	#8
SP201-29	#9


Pentagon Extended Cylinder Base / Dual Lower Cylinder

This cylinder is used for the extended cylinder base to build extended cylinders using the Lockwood modular system. Also used as the dual lower cylinder in the Pentagon range.

The 3P77 & 3P87 functions require separate cams as they vary in length.

This cylinder **is not** compatible with the old Synergy series dual cylinder function or the Inline Airlock.

Cylinder is assembled as a 5 pin tumbler mechanism but is 6 pin tumbler capable. Uses a standard 570 barrel.




Standard "C4" Assembled Cylinder Part Numbers


570E/SC	Extended Cylinder Base with "U" cam
3P77/101SC	Pentagon Dual Entry Cylinder for 3P77
3P87/101SC	Pentagon Dual Entry Cylinder for 3P87

Cylinders

Australian Oval Mortice Cylinders



570E/SC		570E Extended Cylinder Base Cylinder	
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B570-11SC	BARREL "C4" PROFILE	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	SP570-113	TOP PINS	5
5	SP201-336SS	TOP PIN SPRING	5
6	SP3P70-018	"U" CAM	1
7	SPWS801-1-2-2A	CAM SCREWS	2
8	REFERENCE ONLY	KEY ASSEMBLY PAIR	1




BOTTOM PIN	
SP201-20	#0
SP201-21	#1
SP201-22	#2
SP201-23	#3
SP201-24	#4
SP201-25	#5
SP201-26	#6
SP201-27	#7
SP201-28	#8
SP201-29	#9

Cylinders

Australian Oval Mortice Cylinders

Synergy Hold Back Cylinder

This cylinder is used on Lockwood Synergy Mortice Locks for a hold back function. It has a stepped back and the cam assembly is made up of two pieces - the cam and the retainer plate. Cylinder is assembled as a 5 pin tumbler mechanism but is 6 pin tumbler capable. Uses special hold back barrels (570 barrels **will not** fit with this application)




Standard “C4” Assembled Cylinder Part Numbers

3580-2402SC	Synergy Hold Back Cylinder RH for 3580 series
3580-2452SC	Synergy Hold Back Cylinder LH for 3580 series
3570-2402SC	Synergy Hold Back Cylinder RH for 3570 series
3570-2452SC	Synergy Hold Back Cylinder LH for 3570 series


Note: Handing assumes the cylinder is fitted to the outside of the door

Cylinders

Australian Oval Mortice Cylinders



3580-2402SC		Synergy 3580 Hold Back Cylinder	
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B3570-1411SC	BARREL "C4" PROFILE	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	SP570-113	TOP PINS	5
5	SP201-336SS	TOP PIN SPRING	5
6	SP3580-5125	3580 HOLD BACK CAM	1
7	SP3570-5118	HOLD BACK CAM RETAINER PLATE	1
8	SPWS801-1-2-2A	CAM SCREWS	2
9	REFERENCE ONLY	KEY ASSEMBLY PAIR	1



BOTTOM PIN	
SP201-20	#0
SP201-21	#1
SP201-22	#2
SP201-23	#3
SP201-24	#4
SP201-25	#5
SP201-26	#6
SP201-27	#7
SP201-28	#8
SP201-29	#9

Cylinders

Australian Oval Mortice Cylinders


Synergy Dual Lower Cylinder / Inline Airlock

This cylinder is used as the dual lower cylinder in the Synergy range.

Also used for the Inline Airlock (trailer lock).

This cylinder **is not** compatible with the new Pentagon series dual cylinder function.

Cylinder is assembled as a 5 pin tumbler mechanism but is 6 pin tumbler capable. Uses a standard 570 barrel.




Standard “C4” Assembled Cylinder Part Numbers

577-2SC Synergy Dual Lower Cylinder for 3577 series


INLINE AIRLOCK (TRAILERLOCK) cylinder comes with the INLINE AIRLOCK assembly and is not available separately

Cylinders

Australian Oval Mortice Cylinders



577-2SC		Synergy Dual Lower Cylinder	
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B570-11SC	BARREL "C4" PROFILE	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	SP570-113	TOP PINS	5
5	SP201-336SS	TOP PIN SPRING	5
6	SP8489-12	CYLINDER SPINDLE RETAINER PLATE	1
7	SP3570-516ZP	CYLINDER SPINDLE	1
8	SPWS801-1-2-2A	CAM SCREWS	2
9	REFERENCE ONLY	KEY ASSEMBLY PAIR	1




BOTTOM PIN	
SP201-20	#0
SP201-21	#1
SP201-22	#2
SP201-23	#3
SP201-24	#4
SP201-25	#5
SP201-26	#6
SP201-27	#7
SP201-28	#8
SP201-29	#9

Cylinders

201 Rim Cylinder

201 Rim Cylinder

This cylinder is used as the external cylinder in a wide range of rimlocks including Lockwood 001, 002, 303, 355, 201, 211, 213 etc.



Standard “C4” Assembled Cylinder Part Numbers


201CYLSC	5 Pin Cylinder Assembly
201-252SC	6 Pin Solid Cylinder Assembly

Associated Parts


SP201-66	Standard Cylinder Fixing Screw M5 x 28
SP201-166	Extended Cylinder Fixing Screw M5 x 40
SP201-38	Standard Tail Bar 50mm
SP201-338	Extended Tail Bar 100mm

Cylinders

201 Rim Cylinder




201CYLSC			
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B201-11SC	BARREL "C4" PROFILE 5 PIN	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	SP570-113	TOP PIN	5
5	SP201-336SS	TOP PIN SPRING	5
6	SP201-112	BARREL RETAINER CIRCLIP	1
7	SP201-38	CONNECTING BAR / TAIL BAR	1
8	REFERENCE ONLY	KEY ASSEMBLY PAIR	1



BOTTOM PIN	
SP201-20	#0
SP201-21	#1
SP201-22	#2
SP201-23	#3
SP201-24	#4
SP201-25	#5
SP201-26	#6
SP201-27	#7
SP201-28	#8
SP201-29	#9

001 Deadlatch Inner Cylinder

This cylinder is used for the inside of the Lockwood 001 Deadlatch and as the cylinder for the 680 Lockable Patio Bolt. The application and function is dependant on the various cylinder cams shown below.




Standard “C4” Assembled Cylinder Part Numbers


SP001-3120SC	001 Deadlatch Inner Cylinder Assembly
N/A	680 Patio Bolt Cylinder Assembly

Cylinders

001 Deadlatch Inner Cylinder



SP001-3120SC			
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B001-511SC	BARREL "C4" PROFILE 6 PIN	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	REFERENCE ONLY	TOP PINS (REFER TO CHART)	5
5	SP530-336SS	TOP PIN SPRING	5
6	SP001-317SS	SEALING CAP	1
7	SP001-3060	LOCKING CAM INDICATOR	1
8	SP001-3092	BARREL ADAPTOR	2
9	SP001-3090	KICK OFF LEVER	1
10	SP001-3096	KICK OFF SPRING	1
11	SP001-3097	LEVER RETAINER PLATE	1
12	SP001-3093	CAM SCREWS LONG	2
13	REFERENCE ONLY	KEY ASSEMBLY PAIR	1




BOTTOM PIN		TOP PIN
SP201-20	#0	SP201-33 Large SP570-113 KD Lg
SP201-21	#1	
SP201-22	#2	
SP201-23	#3	SP530-232 Medium SP530-332 KD Med
SP201-24	#4	
SP201-25	#5	
SP201-26	#6	SP530-233 Small SP530-333 KD Sm
SP201-27	#7	
SP201-28	#8	
SP201-29	#9	

KD = Kinetic Defence

Nexion Cylinder

This cylinder is a tall top chamber cylinder utilising the 001 barrel (inline systems).
Used for Lockwood 005 Paradigm Deadbolt, Nexion Locksets and the inside on the Onyx Sliding Patio Door Lock.
The lock application and function is dependant on the various cylinder cams shown below.




Standard “C4” Assembled Cylinder Part Numbers


NX8/2SC	Nexion Double Cylinder Assembly
NX8/52SC	Nexion External Cylinder Assembly
EV22/20SC	Paradigm Double Cylinder Assembly
9A-CYL521SC	Onyx Inner Cylinder Assembly

Cylinders

Nexion Cylinder




NX8/2SC			
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	2
2	B001-511SC	BARREL "C4" PROFILE 6 PIN	2
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	10
4	SP570-113	TOP PIN	10
5	SP530-336SS	TOP PIN SPRING	10
6	SP530-317SS	SEALING CAP	2
7	REFERENCE ONLY	CAM INTERNAL CYLINDER	1
8	REFERENCE ONLY	CAM EXTERNAL CYLINDER	1
9	SPWS801-1-2-2A	CAM SCREWS	4
10	SP570-4227	ANTI DRILL PIN	4
11	REFERENCE ONLY	KEY ASSEMBLY PAIR	1



BOTTOM PIN	
SP201-20	#0
SP201-21	#1
SP201-22	#2
SP201-23	#3
SP201-24	#4
SP201-25	#5
SP201-26	#6
SP201-27	#7
SP201-28	#8
SP201-29	#9

530 Key in Knob Cylinder

This cylinder is used in the Lockwood 530 Series Key in Knob Locksets and the 930/950 Series Key in Lever Locksets.
Also used in the Lockwood 301




Standard “C4” Assembled Cylinder Part Numbers


530-20SC	530 Cylinder Assembly
----------	-----------------------

Cylinders

530 Key in Knob Cylinder



530-20SC			
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B530-115C	BARREL "C4" PROFILE 6 PIN	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	REFERENCE ONLY	TOP PIN (REFER TO CHART)	5
5	SP530-336SS	TOP PIN SPRING	5
6	SP530-317SS	SEALING CAP	1
7	SP234-212	CIRCLIP	1
8	REFERENCE ONLY	KEY ASSEMBLY PAIR	1



BOTTOM PIN		TOP PIN
SP201-20	#0	SP201-33 Large <i>SP570-113 KD Lg</i>
SP201-21	#1	
SP201-22	#2	
SP201-23	#3	SP530-232 Medium <i>SP530-332 KD Med</i>
SP201-24	#4	
SP201-25	#5	
SP201-26	#6	SP530-233 Small <i>SP530-333 KD Sm</i>
SP201-27	#7	
SP201-28	#8	
SP201-29	#9	


KD = Kinetic Defence

Cylinders

334 Padlock Cylinder

334 Padlock Cylinder

This cylinder is used for the Lockwood 334 range of padlocks and various other re-keyable padlocks. Utilises the 570 barrel (inline systems).




Standard “C4” Assembled Cylinder Part Numbers


REFERENCE ONLY 334 Padlock Cylinder Assembly

Cylinders

334 Padlock Cylinder



334 CYL			
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	2
2	B570-11SC	BARREL "C4" PROFILE 6 PIN	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	SP570-113	TOP PIN	5
5	SP530-336SS	TOP PIN SPRING	5
6	SP530-317SS	SEALING CAP	1
7	REFERENCE ONLY	DEADLOCKING PIN	1
8	REFERENCE ONLY	CAM	1
9	SPWS801-1-2-2A	CAM SCREWS	2
10	SP570-4227	ANTI DRILL PIN	2
11	REFERENCE ONLY	KEY ASSEMBLY PAIR	1



BOTTOM PIN	
SP201-20	#0
SP201-21	#1
SP201-22	#2
SP201-23	#3
SP201-24	#4
SP201-25	#5
SP201-26	#6
SP201-27	#7
SP201-28	#8
SP201-29	#9

Cylinders


8221 “PD” Cylinder

8221 “PD” Cylinder

This cylinder is used in Lockwood 7105 and 7108 Symmetry Deadbolts, Lockwood K Series Key in Knob Locksets, and the outside of the Onyx Sliding Patio Door Lock.

Also used in many other imported locksets. Various tail pieces can be fitted to this cylinder.

Due to the variety available the tail piece from the existing lockset will be required to be fitted to this cylinder.




Standard “C4” Assembled Cylinder Part Numbers

8221-102SC


8221 “PD” Cylinder Assembly

Cylinders

8221 “PD” Cylinder



8221-102SC			
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B8221-111SC	BARREL “C4” PROFILE 6 PIN	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	REFERENCE ONLY	TOP PIN (REFER TO CHART)	5
5	SP530-336SS	TOP PIN SPRING	5
6	REFERENCE ONLY	STOP PIN SPRING	1
7	REFERENCE ONLY	STOP PIN	1
8	REFERENCE ONLY	TAIL BAR	1
9	SP8221-22	END NUT	1
10	REFERENCE ONLY	KEY ASSEMBLY PAIR	1




BOTTOM PIN		TOP PIN
SP201-20	#0	SP201-33 Large SP570-113 KD Lg
SP201-21	#1	
SP201-22	#2	
SP201-23	#3	SP530-232 Medium SP530-332 KD Med
SP201-24	#4	
SP201-25	#5	
SP201-26	#6	SP530-233 Small SP530-333 KD Sm
SP201-27	#7	
SP201-28	#8	
SP201-29	#9	

KD = Kinetic Defence

355 Inner Cylinder

This cylinder is used for the inside of the Lockwood 355 Deadlock. Utilises the 570 barrel (inline systems).




Standard “C4” Assembled Cylinder Part Numbers

SP355-120SC


355 Inner Cylinder Assembly

Cylinders

355 Cylinder



SP355-120SC			
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B570-11SC	BARREL "C4" PROFILE 6 PIN	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	REFERENCE ONLY	TOP PINS (REFER TO CHART)	5
5	SP530-336SS	TOP PIN SPRING	5
6	SP530-317SS	SEALING CAP	1
7	REFERENCE ONLY	CAM	1
8	SPWS801-1-2-2A	CAM SCREWS	2
9	REFERENCE ONLY	KEY ASSEMBLY PAIR	1




BOTTOM PIN		TOP PIN
SP201-20	#0	SP201-33 Large SP570-113 KD Lg
SP201-21	#1	
SP201-22	#2	
SP201-23	#3	SP530-232 Medium SP530-332 KD Med
SP201-24	#4	
SP201-25	#5	
SP201-26	#6	SP530-233 Small SP530-333 KD Sm
SP201-27	#7	
SP201-28	#8	
SP201-29	#9	

KD = Kinetic Defence

8217 Astra Oval Cylinder

This cylinder is used for Astra Mortice Locks.




Standard “C4” Assembled Cylinder Part Numbers

8217-5SC Astra Oval Cylinder


Associated Parts
SP8217-218 Astra Cam

Cylinders

Astra Oval Cylinder




8217-55C			
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B570-115C	BARREL "C4" PROFILE	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	SP570-113	TOP PINS	5
5	SP201-336SS	TOP PIN SPRING	5
6	SP8217-218	"BARREL CAM	1
7	SPWS801-1-2-2A	CAM SCREWS	2
8	REFERENCE ONLY	KEY ASSEMBLY PAIR	1



BOTTOM PIN	
SP201-20	#0
SP201-21	#1
SP201-22	#2
SP201-23	#3
SP201-24	#4
SP201-25	#5
SP201-26	#6
SP201-27	#7
SP201-28	#8
SP201-29	#9

8466 Kawneer Cylinder

This cylinder is used in many imported locks. The cylinder is screwed into the mortice lock and then retained by a grub screw. It is important to check the thread pitch for compatibility. This cylinder comes with the 8466-18 Deadlocking Cam. Other cams are available separately. Various other tail pieces can be fitted to this cylinder. Due to the variety available the tail piece from the existing lockset may be required to be fitted to this cylinder.




Standard "C4" Assembled Cylinder Part Numbers


8466-1SC Kawneer Cylinder Assembly

Cylinders

Kawneer Cylinder



8466-1SC			
INDEX	PART	DESCRIPTION	QTY
1	REFERENCE ONLY	CYLINDER HOUSING	1
2	B8218-1115C	BARREL "C4" PROFILE 6 PIN	1
3	SP201-20 to SP201-29	BOTTOM PINS 0-9, AS REQUIRED	5
4	SP570-113	TOP PIN	5
5	SP201-3365S	TOP PIN SPRING	5
6	SP8466-18	CAM	1
7	SPWS801-1-2-2A	CAM SCREWS	2
8	SP8466-55	KAWNEER CYLINDER RING	1
9	REFERENCE ONLY	KEY ASSEMBLY PAIR	1



BOTTOM PIN	
SP201-20	#0
SP201-21	#1
SP201-22	#2
SP201-23	#3
SP201-24	#4
SP201-25	#5
SP201-26	#6
SP201-27	#7
SP201-28	#8
SP201-29	#9